Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	. 4	(("6421523") or ("5007625")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/02/10 14:31
L2	268	(finishing\$5 with mode\$2) with print\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/10 14:31
L3	0	(automatic\$5 with enable\$5 with disable\$5) with offsetting\$3 with print\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/10 14:31
L4	22	(disable\$2 with enable\$5 with automatic\$5) same print\$5 adj2 mode\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/10 14:31
L5	109	(disable\$2 with enable\$5) same print\$5 adj2 mode\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/10 14:31
L6	87	L5 not L4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/10 14:31
L7	64	L6 and @ad<"20001226"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/10 15:22
L8	109	(disable\$2 with enable\$5) same print\$5 adj2 mode\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/10 14:49

			7		1	
L9	22	(disable\$2 with enable\$5 with automatic\$5) same print\$5 adj2 mode\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/02/10 14:49
L10	11	(offset\$5 with setting\$2 with print\$5 adj2 mode\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/10 14:50
L11	0	(finish\$5 adj2 mode\$2) with (disable\$2 near5 enable\$5 near5 automatic\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/10 14:50
L12	9	(disable\$2 with enable\$5 with automatic\$5) with print\$5 adj2 mode\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/10 14:50
L13	227	(print\$5 adj2 modes) with (setting\$2) with output\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/10 14:57
L14	0	(finish\$5 with mode\$2) with (disable\$2 with enable\$5 with automatic\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/10 14:50
L15	0	(finish\$4 with command\$3 with set\$3 with disabl\$3 with offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/10 14:58
L16	4	(finish\$4 same command\$3 same set\$3 same disabl\$3 same offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/10 14:59

			1	T		
L17	2	(imag\$3 adj1 form\$3 adj1 apparatus\$2 printer\$2 copy adj2 machine\$2) with (command\$2 adj2 setting\$2 with offset\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/10 15:30
L18	13510	(imag\$3 adj1 form\$3 adj1 apparatus\$2 printer\$2 copy adj2 machine\$2) same (command\$2 adj2 setting\$2same offset\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/10 15:20
L19	4	(imag\$3 adj1 form\$3 adj1 apparatus\$2 printer\$2 copy adj2 machine\$2) same (command\$2 adj2 setting\$2 same offset\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON .	2007/02/10 15:32
L20	0	(imag\$3 adj1 form\$3 adj1 apparatus\$2 printer\$2 copy adj2 machine\$2) with (disabl\$5) with finish\$3 adj2 command\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/10 15:21
L21	34	L6 and @rlad<"20001226"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/10 15:21
L22	117	L13 and @ad<"20001226"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/10 15:22
L23	24	L13 and @rlad<"20001226"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ÓN	2007/02/10 15:36
L24	115	(KURODA near2 SHIGEKI).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/10 15:26

			on miscory	,		
L25	43	(KURODA near2 SHIGEKI).in. and (canon).as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/10 15:26
L26	2	("20020085870").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/10 15:27
L27	2	("6388758").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/10 15:30
L28	1	("6388758").URPN.	USPAT	OR	ON	2007/02/10 15:31
,L29	1	("6388758").URPN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/10 15:32
L30	2	(imag\$3 adj1 form\$3 adj1 apparatus\$2 printer\$2 copy adj2 machine\$2) with (finish\$3 adj2 command\$2) with offset\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/10 15:36
L31	21	(imag\$3 adj1 form\$3 adj1 apparatus\$2 printer\$2 copy adj2 machine\$2) with (finish\$3 adj2 command\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/10 15:33
L32	25190	(358/1.1, 358/1.9, 358/1.11-1.18, 347/19-20, 358/296).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/02/10 15:36
L33	22992	(358/1.1, 358/1.9, 358/1.11-1.18, 347/19-20, 358/396).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/10 15:36

L34	23691	(358/1.1, 358/1.9, 358/1.11-1.18,	US-PGPUB;	OR	· ON	2007/02/10 15:36
		347/19-20, 358/496).ccls.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
L35	2873	34 and @rlad<"20001226"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/10 15:36
L36	12799	34 and @ad<"20001226"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/02/10 15:36
L37	45	(imag\$3 adj1 form\$3 adj1 apparatus\$2 printer\$2 copy adj2 machine\$2) same (finish\$3 adj2 command\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/10 15:37
L38		36 and 37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/10 15:37
L39	10724	(offset\$2 with output\$2).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/10 15:40
L40	1	(finish\$3 adj2 command\$2 with offset\$2 with output\$2).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/10 15:40
L41		(finish\$3 same command\$2 same offset\$2 same output\$2).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/10 15:40

L42	14	(finish\$3 and command\$2 and offset\$2 and output\$2).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/10 15:40
-----	----	---	---	----	----	------------------